






0

SOUT US


Ceramics believe that every product is just as unique as God's creation. They have not only put in their sweat into creating world-class products but have also dedicated their minds and hearts. To create products that are truly outstanding, one needs to understand the heart of it. And in this case it's ceramic. has researched every aspect of ceramic as a material in terms of its reaction to light, to climatic conditions, etc Taking it further they have studied in depth the current trends in home décor which includes furniture, furnishing, lighting fixtures, etc., to understand how different textures blend well to create the perfect home interiors.




The result of this is a variety of textured ceramic tiles comes in size 30×60 cm and 30x90cm, for the customer to choose from: Glossy, Reactive & Glue, Matt, Glazed Metallic Colour, Highlighter, Plain Colors, Elevation, Poster Tiles for the applications like Wall Tiles, Elevation Tiles, Kitchen Tiles, Bathroom Tiles, Mosaic Tiles, Stone Tiles


The glossy finish wall tiles by add to the beauty of the walls with their illustrious shine and smooth texture.

Designs that add value to wall decor







1632 L




1632 HL1




1632 HL2




1632 D



1632 L



1633 HL1



1633 HL2



1633 D



Bedroom



Bathroom




Kitchen




Livingroom








1632 L




1634 HL1




1634 HL2




1634 D



1632 L



1635 HL1



1635 HL2



1635 D



Bedroom



Bathroom




Kitchen




Livingroom









1632 L



1636 HL1



1636 HL2



1636 D



1636 HL3



1636 HL4



Bedroom



Bathroom




Kitchen




Livingroom




300x600mm WALL TILES




1632 L



1637 HL1



1637 HL2



1637 D



Bedroom



Bathroom




Kitchen




Livingroom









1638 HL1




1638 HL2






1632 L



1639 HL1



1639 HL2



1639 D



Bedroom



Bathroom




Kitchen











1632 L




1640 HL1




1640 HL2




1640 D




1632 L



1641 HL1



1641 HL2



1641 D



Bedroom



Bathroom




Kitchen




Livingroom





300x600mm WALL TILES












1643 HL1



1643 HL2



1643 D



Bedroom



Bathroom



Kitchen



Livingroom







1676 L



1676 HL1



1676 HL2



1676 D



1676 L



1677 HL1



1677 HL2



1677 D



Bedroom



Bathroom



Kitchen









1676 L




1677 HL1



1677 HL2



1677 D



1676 L



1678 HL1



1678 HL2





Bedroom



Bathroom



Kitchen





FINISH


300x600mm WALL TILES



1679 L




1679 HL1



1679 HL2




1679 D




1680 L



1680 HL1



1680 HL2



1680 D



Bedroom



Bathroom



Kitchen



Livingroom




300x600mm WALL TILES



1681 L



1681 HL1



1681 HL2



1681 D



1682 L



1682 HL1



1682 HL2





Bedroom



Bathroom



Kitchen



Livingroom



300x600mm WALL TILES



PACKING DETAILS

CHARACTERISTICS	EURO STANDARD EN-159/IS 13753	VALUE	
DIMENSION & SURFACE QUALITY			
Dimension & Surface Quality	± 0.5%	± 0.4%	
Deviation in Thickness	± 0.6 mm	± 0.3 mm	
Straightness of sides	± 0.3%	± 0.2%	
Rectangularity	± 0.5%	± 0.3%	
Surface Flatness	± 0.5%	± 0.3%	
Surface Quality	Min. 95%	Min. 96%	
PHYSICAL PROPERTIES			
Water Absorption	> 10%	12-15%	
Bending Strength	> 150 kg./cm²	150-180 kg./cm²	
Scratch hardness (Mohs)	Min. 3	Min. 3	
Crazing	1 Cycle	No Crazing at 4 Cycles	
CHEMICAL PROPERTIES			
Staining Resistance	Min Class 2	Resistance to all Acids And Alkalies & Household Chemicals, except Hydro Flouric Acid	
Household Chemical	Min Class B		
THERMAL PROPERTIES			
Thermal Shock	Resistant to 10 Cycles	CONFORMS	
Thermal Expansion	Max. 9E-06	CONFORMS	

Size	Thickness (approx)	Tiles / Box	Coverage Area / Box	Coverage Area / Box	Wt. of Box (approx)
300x600mm	9 mm	5 pcs.	0.90 sq. mtr.	9.69 sq. ft.	14.0 kgs.
300x300mm	7.8 mm	9 pcs.	0.81 sq. mtr.	8.72 sq. ft.	10.5 kgs.

- 1. Certain amount of size and shade variation is inherent in all ceramic products.
- 2. Our conformity to the above Fast is applicable only for Quality.
- 3. Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However the company reserve the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggest to check the tiles before purchase any laying as the company dose not accept responsibility once the tiles are laid.

