

**FULL BODY**  
VITRIFIED  
TILES



**2023**  
COLLECTION

# **SURFACE** OF AN EYEFUL IMPRESSION

Available Thickness

 9MM



**600X  
1200MM**

PRESENTING THE **FULL BODY**


SURFACE  
**POLISHED | RUSTIC | SATIN**

# WE ARE SETTING A TREND IN THE CERAMICS SECTOR, BY PRODUCING **HIGH-QUALITY TILES**

We are showcasing the best quality of rustic finish, satin finish and polished finish with the different fabulous colors shades that's make your décor mesmerizing.

Choose our satin finish tiles to give your home a completely flawless appearance if you want to add an unexpected element to any space.

Our Rustic tiles are ornamental glaze tiles that are used to give any room a rustic feel and an attractive appearance without compromising the shiny feature.





# MAJESTIC

SURFACE  
RUSTIC

# DYNAMIC

SURFACE  
POLISHED

# ROCK

SURFACE  
SATIN



**FULL BODY**  
vitrified tiles



**ROCK WHITE**

Satin



**DYNAMIC WHITE**

Polished



**MAJESTIC WHITE**

Rustic



600X  
1200MM

↓  
↑  
9 MM  
THICKNESS

 **FULL BODY**  
vitrified tiles

DYNAMIC WHITE





**ROCK CREAMA**

Satin




**DYNAMIC CREAMA**

Polished



**MAJESTIC CREAMA**

Rustic



**FULL BODY**  
vitrified tiles

MAJESTIC CREAMA







Satin

**ROCK DOVE**




Polished

**DYNAMIC DOVE**



Rustic


**MAJESTIC DOVE**



**FULL BODY**  
vitrified tiles


MAJESTIC DOVE






**ROCK NERO**

Satin





**DYNAMIC NERO**

Polished



**MAJESTIC NERO**

Rustic



**FULL BODY**  
vitrified tiles

ROCK NERO





Satin

**ROCK ALMOND**




Polished

**DYNAMIC ALMOND**



Rustic

**MAJESTIC ALMOND**



**FULL BODY**  
vitrified tiles

MAJESTIC ALMOND





Satin

**ROCK BLACK**





Polished

**DYNAMIC BLACK**



Rustic

**MAJESTIC BLACK**



**FULL BODY**  
vitrified tiles

DYNAMIC BLACK







Satin

**ROYAL KOTA**





Polished

**DYNAMIC KOTA**



Rustic


**MAJESTIC KOTA**



**FULL BODY**  
vitrified tiles

MAJESTIC KOTA





Satin

ROCK KOTA




600X  
1200MM

9 MM  
THICKNESS



**FULL BODY**  
vitrified tiles



Satin

**ROYAL CREAM**




Polished

**DYNAMIC CREAM**



Rustic

**MAJESTIC CREAM**



ROYAL CREAM





Satin

**ROYAL IRIS**





Polished

**DYNAMIC IRIS**




Rustic

**MAJESTIC IRIS**



**FULL BODY**  
vitrified tiles

MAJESTIC IRIS





Satin

**ROYAL STEEL GREY**





Polished

**DYNAMIC STEEL GREY**



Rustic


**MAJESTIC STEEL GREY**




**FULL BODY**  
vitrified tiles



ROYAL STEEL GREY





**ROCK QUARTZ**

Satin



**DYNAMIC QUARTZ**

Polished



**MAJESTIC QUARTZ**

Rustic



600X  
1200MM

9 MM  
THICKNESS



**FULL BODY**  
vitrified tiles

ROCK QUARTZ





Satin

**ROYAL JET BLACK**





Polished

**DYNAMIC JET BLACK**



Rustic


**MAJESTIC JET BLACK**



**FULL BODY**  
vitrified tiles

DYNAMIC JET BLACK






Satin

ROYAL SUPER WHITE



Polished

DYNAMIC SUPER WHITE



600X  
1200MM


9 MM  
THICKNESS



**FULL BODY**  
vitrified tiles

ROYAL SUPER WHITE





**ROCK MIST**

Satin



600X  
1200MM

9 MM  
THICKNESS



**FULL BODY**  
vitrified tiles





**ROCK PEACH**

Satin




600X  
1200MM

9 MM  
THICKNESS



**FULL BODY**  
vitrified tiles





MONOLINE  
MONOLINE

# MONOLINE


SURFACE  
RUSTIC



**FULL BODY**  
vitrified tiles



**MONOLINE WHITE**  
RUSTIC






**MONOLINE BLACK**


RUSTIC

 **FULL BODY**  
vitrified tiles





**MONOLINE KOTA**  
RUSTIC





**MONOLINE CREAM**

RUSTIC

 **FULL BODY**  
vitrified tiles






**MONOLINE IRIS**  
—  
RUSTIC

 **FULL BODY**  
vitrified tiles

MONOLINE  
RUSTIC





**MONOLINE STEEL GREY**

RUSTIC


 **FULL BODY**  
vitrified tiles







**MONOLINE ALMOND**  
RUSTIC





**MONOLINE CREAMA**

RUSTIC


 **FULL BODY**  
vitrified tiles





**MONOLINE DOVE**  
—  
RUSTIC

 **FULL BODY**  
vitrified tiles




## MONOLINE NERO

RUSTIC


 **FULL BODY**  
vitrified tiles





**MONOLINE SUPER WHITE**  
—  
RUSTIC

MONOLINE  
RUSTIC





**MONOLINE JET BLACK**

RUSTIC

 **FULL BODY**  
vitrified tiles






**MONOLINE QUARTZ**  
—  
RUSTIC

PLUTO

**PLUTO**  
SURFACE  
RUSTIC



 **FULL BODY**  
vitrified tiles






**PLUTO WHITE**  
RUSTIC

 **FULL BODY**  
vitrified tiles

# PLUTO




**PLUTO BLACK**


RUSTIC

 **FULL BODY**  
vitrified tiles






**PLUTO KOTA**  
RUSTIC




## PLUTO CREAM

RUSTIC



 **FULL BODY**  
vitrified tiles





**PLUTO IRIS**  
RUSTIC

 **FULL BODY**  
vitrified tiles




**PLUTO STEEL GREY**

RUSTIC






**PLUTO ALMOND**  
—  
RUSTIC





## PLUTO CREAMA

RUSTIC

 **FULL BODY**  
vitrified tiles








**PLUTO DOVE**  
—  
RUSTIC

 **FULL BODY**  
vitrified tiles

PLUTO



**PLUTO NERO**

RUSTIC

 **FULL BODY**  
vitrified tiles






**PLUTO SUPER WHITE**  
RUSTIC

 **FULL BODY**  
vitrified tiles

# PLUTO




**PLUTO JET BLACK**

RUSTIC

 **FULL BODY**  
vitrified tiles





**PLUTO QUARTZ**  
RUSTIC

 **FULL BODY**  
vitrified tiles

# TECHNICAL SPECIFICATION

Sr. No.	CHARACTERISTICS	STANDARD AS PER ISO-13006 / EN14411 GROUP BIA	OUR VALUE	TEST METHOD
<b>REGULATORY PROPERTIES</b>				
01	Deviation in length & width	± 0.50%	± 0.20%	ISO-10545-2
02	Deviation in thickness	± 5.00%	± 4.00%	ISO-10545-2
03	Straightness of sides	± 0.50%	± 0.10%	ISO-10545-2
04	Rectangularity	± 0.50%	± 0.20%	ISO-10545-2
05	Surface flatness	± 0.50%	± 0.20%	ISO-10545-2
06	Colour difference	Unaltered	No Change	ISO-10545-16
<b>STRUCTURAL PROPERTIES</b>				
01	Water Absorption	< 0.50%	< 0.50 %	ISO-10545-3
02	Apparent density	> 2.00 g/cc	> 2.28 g/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>				
01	Modulus or rupture	Min. 35 N/mm <sup>2</sup>	Min. 45 N/mm <sup>2</sup>	ISO-10545-4
02	Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
03	Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>				
01	Deep abrasion resistance	Max. 175mm <sup>3</sup>	Max. 132mm <sup>3</sup>	ISO-10545-6
02	Moh's hardness	Min. 6	7	EN 101
03	Surface Abrasion Resistance	As per mfg.	N. A.	ISO-10545-7

### THERMOHYDROMETRIC PROPERTIES

01	Frost resistance	No Damage	Frost proof	ISO-10545-12
02	Thermal shock resistance	No Damage	No Damage	ISO-10545-9
03	Moisture expansion	Nil	Nil	ISO-10545-10
04	Thermal Expansion(COE)	Max. $9.0 \times 10^{-6}$	Max. $6.5 \times 10^{-6}$	ISO-10545-8
04	Crazing Resistance	As Per Mfg.	N.A.	ISO-10545-11

### CHEMICAL PROPERTIES

01	Chemical resistance	No Damage	No Damage	ISO-10545-13
02	Satin resistance	Resistance	Resistance	ISO-10545-14

### SAFETY PROPERTIES

01	Slip resistance (friction co efficient)	> 0.40	> 0.40	ISO-10545-17
----	---	--------	--------	--------------

## PACKING DETAILS

SIZE	PCS./BOX	WEIGHT / BOX	AREA / BOX
600x1200mm	2 Pcs.	30 Kg.	1.44 Sq. Mtr.

**Note :** Certain amount of size and shade variation is inherent in all ceramic products. Our conformity to the above fast is applicable only for quality. Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However the company reserve the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggest to check the tiles before purchase any laying as the company does not accect responsibility once the tiles are laid.

