

# 600X600MM

Available Thickness

 16MM

## FULL BODY VITRIFIED TILES




2022  
COLLECTION

# EXPE RIENCE

## THE CHARMING BEAUTY

Available Thickness

 16MM



# PRESENTING THE **FULL BODY**


SURFACE  
**RUSTIC**


# WE ARE SETTING A TREND IN THE CERAMICS SECTOR, BY PRODUCING **HIGH-QUALITY TILES**

We are showcasing the best quality of rustic finish, satin finish and polished finish with the different fabulous colors shades that's make your décor mesmerizing.

Choose our satin finish tiles to give your home a completely flawless appearance if you want to add an unexpected element to any space.

Our Rustic tiles are ornamental glaze tiles that are used to give any room a rustic feel and an attractive appearance without compromising the shiny feature.







Rustic

**ARTSTONE BEIGE**



**FULL BODY**  
vitrified tiles



**16 MM**  
THICKNESS

ARTSTONE BEIGE







Rustic

**ARTSTONE BLACK**



**FULL BODY**  
vitrified tiles



**16 MM**  
THICKNESS

ARTSTONE BLACK







Rustic

**ARTSTONE BROWN**



**FULL BODY**  
vitrified tiles




**16 MM**  
THICKNESS



ARTSTONE BROWN






Rustic

**ARTSTONE CHOCO**




**FULL BODY**  
vitrified tiles



ARTSTONE CHOCO







Rustic

**ARTSTONE CREAM**




**FULL BODY**  
vitrified tiles



**16 MM**  
THICKNESS

ARTSTONE CREAM







Rustic

**ARTSTONE IVORY**




**FULL BODY**  
vitrified tiles



**16 MM**  
THICKNESS

ARTSTONE IVORY






Rustic

**ARTSTONE NERO**



**FULL BODY**  
vitrified tiles



**16 MM**  
THICKNESS



ARTSTONE NERO







Rustic


**ARTSTONE OLIVE**




**FULL BODY**  
vitrified tiles



**16 MM**  
THICKNESS







Rustic

**ARTSTONE PEARL**




**FULL BODY**  
vitrified tiles



**16 MM**  
THICKNESS

ARTSTONE PEARL






Rustic

**ARTSTONE GREY**



**FULL BODY**  
vitrified tiles






Rustic

**ARTSTONE VERDE**



**FULL BODY**  
vitrified tiles






Matt

**ARTSTONE KOTA**




**FULL BODY**  
vitrified tiles





ARTSTONE KOTA






Matt

**ROCK BLACK**




**FULL BODY**  
vitrified tiles



ROCK BLACK







Matt

**ROCK BROWN**




**FULL BODY**  
vitrified tiles



**16 MM**  
THICKNESS

ROCK BROWN






Matt


**ROCK CREAMA**




**FULL BODY**  
vitrified tiles



ROCK CREAMA







Matt

**ROCK GREY**



**FULL BODY**  
vitrified tiles




**16 MM**  
THICKNESS



ROCK GREY







Matt

**ROCK SILVER**




**FULL BODY**  
vitrified tiles



**16 MM**  
THICKNESS

ROCK SILVER







Matt

**ROCK WHITE**



**FULL BODY**  
vitrified tiles



**16 MM**  
THICKNESS

ROCK WHITE







Satin

**ROYAL KOTA**



**FULL BODY**  
vitrified tiles



**16 MM**  
THICKNESS

ROYAL KOTA







Satin

**ROYAL IRIS**



**FULL BODY**  
vitrified tiles



**16 MM**  
THICKNESS







Satin

**ROYAL STEEL GREY**



**FULL BODY**  
vitrified tiles



**16 MM**  
THICKNESS

# TECHNICAL SPECIFICATION

Sr. No.	CHARACTERISTICS	STANDARD AS PER ISO-13006 / EN14411 GROUP BIA	OUR VALUE	TEST METHOD
<b>REGULATORY PROPERTIES</b>				
01	Deviation in length & width	± 0.50%	± 0.20%	ISO-10545-2
02	Deviation in thickness	± 5.00%	± 4.00%	ISO-10545-2
03	Straightness of sides	± 0.50%	± 0.10%	ISO-10545-2
04	Rectangularity	± 0.50%	± 0.20%	ISO-10545-2
05	Surface flatness	± 0.50%	± 0.20%	ISO-10545-2
06	Colour difference	Unaltered	No Change	ISO-10545-16
<b>STRUCTURAL PROPERTIES</b>				
01	Water Absorption	< 0.50%	< 0.50 %	ISO-10545-3
02	Apparent density	> 2.00 g/cc	> 2.28 g/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>				
01	Modulus of rupture	Min. 35 N/mm <sup>2</sup>	Min. 45 N/mm <sup>2</sup>	ISO-10545-4
02	Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
03	Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>				
01	Deep abrasion resistance	Max. 175mm <sup>3</sup>	Max. 132mm <sup>3</sup>	ISO-10545-6
02	Moh's hardness	Min. 6	7	EN 101
03	Surface Abrasion Resistance	As per mfg.	N. A.	ISO-10545-7

**THERMOHYDROMETRIC PROPERTIES**

01	Frost resistance	No Damage	Frost proof	ISO-10545-12
02	Thermal shock resistance	No Damage	No Damage	ISO-10545-9
03	Moisture expansion	Nil	Nil	ISO-10545-10
04	Thermal Expansion(COE)	Max. $9.0 \times 10^{-6}$	Max. $6.5 \times 10^{-6}$	ISO-10545-8
04	Crazing Resistance	As Per Mfg.	N.A.	ISO-10545-11

**CHEMICAL PROPERTIES**

01	Chemical resistance	No Damage	No Damage	ISO-10545-13
02	Satin resistance	Resistance	Resistance	ISO-10545-14

**SAFETY PROPERTIES**

01	Slip resistance (friction co efficient)	> 0.40	> 0.40	ISO-10545-17
----	---	--------	--------	--------------

**PACKING  
DETAILS**

SIZE	PCS./BOX	WEIGHT / BOX			AREA / BOX
		POLISHED	SATIN	RUSTIC	
600x600mm	4 Pcs.	26.5 Kg.	28.5 Kg.	28.5 Kg.	1.44 Sq. Mtr.
600x900mm	2 Pcs.	-	24.5 Kg.	-	1.08 Sq. Mtr.
600x1200mm	2 Pcs.	28.5 Kg.	30 Kg.	30 Kg.	1.44 Sq. Mtr.
600x600mm (16MM)	2 Pcs.	-	25 Kg.	25 Kg.	0.72 Sq. Mtr.

**Note :** Certain amount of size and shade variation is inherent in all ceramic products. Our conformity to the above fast is applicable only for quality. Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However the company reserve the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggest to check the tiles before purchase any laying as the company does not accect responsibility once the tiles are laid.

